

ATTACHMENT C



SUBMITTAL DATA

☒ OPEN RADIAL
☐ TYPE P
INDUSTRIAL EXHAUSTERS
Arrangement 1

CUSTOMER: Underwood Air Systems, Inc.

ROTATION
DISCHARGE
POSITIONS
(Clockwise sho

ITEM NO.	QUAN.	CUSTOMER P.O./JOB#	DATE	SALES OFFICE
1	2	VWA0870 / 890843	9/11/89	UAS
		FAN BLOWER SIZE	SWSI	EXTRA HD
		37	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		CFM	S.P.	PERFORMANCE RPM
		34,000		
		DISCHARGE POSITION	HEAVY DUTY	STD
		STD	<input checked="" type="checkbox"/>	UB
		ROTATION (viewed from drive side)	CLOCKWISE	COUNTERCLOCKWISE
		1	<input checked="" type="checkbox"/>	1
		TEMPERATURE	MAX OPERATING TEMPERATURE	
		Std.	Std.	



YES ACCESSORIES SPECIAL INSTRUCTIONS

☐ ACCESS DOOR ☐ BOLTED ☐ HINGED ☐ RAISED

☐ DRAIN PLUG

☐ SPLIT HOUSING ☐ SPLIT BOX

☐ INLET ☐ FLANGED DRILL ☐ SCREEN BOX

☐ INLET VANE ☐ EXTERNAL

☒ FLANGED OUTLET ☐ DRILL

☐ DAMPER ☐ PARALLEL ☐ OPPOSED ☐ INLET ☐ OUTLET ☐ MANUAL ☐ AUTO

☒ PAINT ☒ STANDARD ☐ HI-TEMP ☐ OTHER

☐ GUARDS ☐ SHAFT ☐ BELT ☐ COUPLING

☐ PLUG COOLER

☐ SHAFT COOLING WHEEL

☐ SHAFT SEALS ☐ STANDARD ☐ GAS TIGHT

☐ SPARK RESISTANCE ☐ TYPE A ☐ B ☐ C

☐ INTERGAL BASE ☐ RIS ☐ SPRING ☐ MOTOR POSITION ☐ W ☐ X ☐ Y ☐ Z

☐ MOTOR SUPPLIED BY: IAP ☐ OTHERS ☐

MOUNTED BY: IAP ☐ OTHERS ☐

HP RPM DUTY ENCL FRAME

☐ DRIVE V-BELT ☐ C.S. ☐ ADJ ☐

☐ SILENCER ☐ INLET ☐ OUTLET

☐ TRANSITIONS

☐ ROTABLE HOUSINGS

☐ FILTER BOXES


CERTIFIED FOR CONSTRUCTION

IAP, Inc.
PHILLIPS, WISCONSIN

SEP 11 1989

DATE

BY



All drawings are the property of IAP, Inc., and any use for manufacturing purposes is strictly forbidden.

IAP, Inc.

FORM RP-1



IAP INC.
P.O. BOX 58
PHILLIPS, WI 54955
715/339-3024

SUBMITTAL DATA

☒ OPEN RADIAL
☐ TYPE P

INDUSTRIAL EXHAUSTERS
Arrangement 1

ROTATION
DISCHARGE
POSITIONS
(Clockwise sho

CUSTOMER: Underwood Air Systems, Inc.

ITEM NO.	QUAN.	CUSTOMER P.O./JOB#	DATE	SALES OFFICE
1	2	VWA0870 / 890843	9/11/89	UAS
		FAN BLOWER SIZE	SWSI	EXTRA HD
		37	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		CFM	S.P.	PERFORMANCE RPM
		34,000		BHP
		DISCHARGE POSITION		ROTATION (viewed from drive side)
		STD SPEC		CLOCKWISE COUNTERCLOCKWISE
		<input checked="" type="checkbox"/> UB <input type="checkbox"/>		1 <input checked="" type="checkbox"/> 1 <input checked="" type="checkbox"/>
		DENSITY		TEMPERATURE
		Std.		Std.
		MAX OPERATING TEMPERATURE		

YES ACCESSORIES SPECIAL INSTRUCTIONS

☐ ACCESS DOOR ☐ BOLTED ☐ HINGED ☐ RAISED

☐ DRAIN PLUG

☐ SPLIT HOUSING ☐ SPLIT BOX

☐ INLET ☐ FLANGED DRILL ☐ SCREEN BOX

☐ INLET VANE ☐ EXTERNAL

☒ FLANGED OUTLET ☐ DRILL

☐ DAMPER ☐ PARALLEL ☐ OPPOSED ☐ INLET ☐ OUTLET ☐ MANUAL ☐ AUTO

☒ PAINT ☒ STANDARD ☐ HI-TEMP ☐ OTHER

☐ GUARDS ☐ SHAFT ☐ BELT ☐ COUPLING

☐ PLUG COOLER

☐ SHAFT COOLING WHEEL

☐ SHAFT SEALS ☐ STANDARD ☐ GAS TIGHT

☐ SPARK RESISTANCE ☐ TYPE A ☐ B ☐ C

☐ INTERGAL BASE ☐ RIS ☐ SPRING ☐ MOTOR POSITION ☐ W ☐ X ☐ Y ☐ Z

☐ MOTOR SUPPLIED BY: IAP ☐ OTHERS ☐

MOUNTED BY: IAP ☐ OTHERS ☐

HP	RPM	DUTY	ENCL	FRAME
<input type="checkbox"/> DRIVE	V-BELT <input type="checkbox"/>	C.S. <input type="checkbox"/>	ADJ <input type="checkbox"/>	
<input type="checkbox"/> SILENCER	INLET <input type="checkbox"/>	OUTLET <input type="checkbox"/>		
<input type="checkbox"/> TRANSITIONS				
<input type="checkbox"/> ROTABLE HOUSINGS				
<input type="checkbox"/> FILTER BOXES				


CERTIFIED FOR CONSTRUCTION

IAP, Inc.
PHILLIPS, WISCONSIN

SEP 11 1989

DATE

BY



All drawings are the property of IAP, Inc., and any use for manufacturing purposes is strictly forbidden. IAP, Inc.

